

#### STITCH OVERVIEW

The settings shown in the table below are our recommendations based on normal conditions. The correct tension is set automatically when using the Stitch Selection Dial. It may be necessary to adjust the thread tension according to the stitch, type of fabric and thread you are using. For best results make tension adjustments in small steps of no greater than half a number at a time. Always test sew on a sample of your fabric before sewing on your garment.

Different stitches are obtained by combining the stitch selection dial with different needle positions, threading methods, and the use of the 2-thread converter.

Icon Explanaition Sheet

Woven light
Chiffon, val, grapnza, batiste, silk, etc.

Woven medium

Woven medium

Cattan, ching, wad, satin, etc

Woven heavy
Denim, canuas, terrydoth, etc

Stretch light Charmeuse, nylon, triact, singleknit jassays, etc

urur Stretch medium Dauldeknit, velaur, svimvær, etc

> Stretch heavy Sweether knits, fleere, etc

Stitch selection dial

Needle position

₹ Titch length

Cutting width

Differential feed

N/R Stitch finger setting

2-thread converter

S/C Setting for upper cutter, clutch lever and use of cutter cover S or Coverstitch table C.

○ ● ■ Indicates threading path for each stitch.

Y = yellow, R = red,G = green, B = blue

STITCH	FABRIC	日間	AB CDE		#7	1	N/R		S/C	(	00		)
		<b>#</b> #		₹±	<b>□</b> #/ /	<b>←</b> ←				Υ	R	G	В
	辯												
	群												
		А	A and B	N	N	N	N	No	S				
	****	A	Aalub	IN	IN	IN	IN	INO	3				
	## ##												

## 4-THREAD OVERLOCK

For all seams where stretch or give is needed, such as neck edges, side seams, sleeves, etc. Specialty techniques can be done with a 4-thread overlock seam such as gathering, applying piping with the optional piping foot and elastic with the optional elastic foot.

STITCH	FABRIC	目	AE CDE		#7	<u></u>	STITCH	7	S/C	( Y	R	G	В
	響等	1	A and D	N	N	N	N	Yes	S	thre thel	dlow ading apa	ı) lighti gpath	2) blue in
	\$\$\frac{1}{2}\$									<sup>2)</sup> Fo	ading	path area	in


## 4-THREAD SAFETY STITCH, WIDE

For joining with reinforced stitch and overcasting in one step. Converter required.

<ul><li>器</li><li>器</li><li>器</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-<li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-<li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li>-</li><li< th=""><th>B and D</th><th>N</th><th>N</th><th>N</th><th>N</th><th>Yes</th><th>S</th><th>threather the last threather threath</th><th>ading lapar dlow ading</th><th>path</th><th>in L blue in</th></li<></li></li></ul>	B and D	N	N	N	N	Yes	S	threather the last threather threath	ading lapar dlow ading	path	in L blue in
<b>X</b>								the	eang Iopper	ipan area	ın L


### 4-THREAD SAFETY STITCH, NARROW

For joining with reinforced stitch and overcasting in one step. Converter required.



### 3-THREAD OVERLOCK WIDE

For sewing two layers of stretchy fabric or overcasting a single layer of light to medium fabric. Use heavier threads in the loopers to create decorative braids. (Hold your hand behind the presser foot and gently and slowly pull the thread chain as you sew, trying to keep the same tension as it has been sewn onto fabric.)




## 3-THREAD OVERLOCK, NARROW

1-needle 3-thread overlock is used for overlocking and seaming on common fabrics. A 4 mm overlock is obtained by using the right needle position.

STITCH	FABRIC	二	AE CDE		<b>₩</b> 7		STITCH FINGER		S/C	(	00		)
		4		= -	<del>"</del> ## /		THIVOLIX			Y	R	G	В
6	鸛		В	1.5	N	N	R	No	ς		•	•	
	群		Б	1.5	14	14	11	140	3		_		
	書	Α				Not	recommen	ded					
	₩		В	1.5	N	N	R	No	S		•	•	•
	W					Not	recommen	ded					
	<b>\$</b>					14001	aurina i	ucu					


#### 3-THREAD NARROW EDGE

For sewing two layers of stretchy fabric or overcasting a single layer of light fabric. Popular for creating decorative tucks. Use decorative threads in the loopers and regular thread in the needle. Use different colors in the loopers to get an interesting effect.



### 3-THREAD FLATLOCK, WIDE

For sewing stretchy fabrics together with a decorative effect either with the flatlock side or the ladder stitch side. Create varying effects by threading the loopers with decorative thread.



# 3-THREAD FLATLOCK, NARROW

For sewing stretchy fabrics together with a decorative effect either with the flatlock side or the ladder stitch side. Create varying effects by threading the loopers with decorative thread.

<b>&gt;=</b>	囂										
	群										
	書	G	A and B	2	N	N	N	Yes	ς		
	₩	J	Adidb		14	IN .	IN	10	3		
	##F										
	<b>\$</b>										

#### 3-THREAD STRETCH OVERLOCK

For sewing extra stretchy fabrics. Add additional stretch by using a stretchy type thread in the loopers. Change the thread tension accordingly.

STITCH	FABRIC	二	ODE ODE		<b>‡</b>	<b>1</b>	STITCH FINGER		S/C	(	00		
		甲荆		₹ ±	<b>⋢</b> ≢/ /	<b>—</b> —	FINGER			Υ	R	G	В
	辯		В	1	N	N	R	No	S				
	辯		Ь	1	IN	IN		INO	3				
	韓	_				Noti	recommen	nded					
	₩	C	В	1	N	N	R	No	S		•	•	•
	***					Noti	recommen	odad					
	<b>\$</b>					INOLI		iucu					


## 3-THREAD ROLLED EDGE

For edging lightweight fabrics. It gives a nice finish on silky scarves, pillow ruffles and napkins. For a beautiful rolled edge, thread the looper with decorative thread and the needle and lower looper with lightweight regular thread.

<ul><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li></li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li>器</li><li></li><li>器</li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li></li><li><!--</th--><th>E</th><th>А</th><th>2</th><th>N</th><th>N</th><th>N</th><th>Yes</th><th>S</th><th>•</th><th></th><th>•</th></li></ul>	E	А	2	N	N	N	Yes	S	•		•
₩.											

# 2-THREAD OVERLOCK, WIDE

For overcasting a single layer of light to medium weight fabrics. Converter required.



## 2-THREAD OVERLOCK, NARROW

For overcasting a single layer of light to medium weight fabrics. Converter required.

辯		В	2	N	N	R	Yes	ς		
辯		Б		14	14		16	3		
奲	Е				Noti	recommen	ided			
<del>11111</del>	'	В	2	N	N	R	Yes	S	•	•
##					Noti	recommen	ndad			
<b>X</b>					INOLI	auiii B	iua			

### 2-THREAD NARROW EDGE

Use for edging lightweight fabrics. Converter required.

STITCH	FABRIC	日間	AE CDE		<b>₽</b>		STITCH		S/C	(	00		)
3111 611	17 IDI IIC	⋷⋕		≣ ±		<b>← ←</b>	FINGER		, -, -	Υ	R	G	В
	辯												
	辯												
	書	E	А	2	N	N	N	Yes	S				
11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	₩	L	A		IN .	IN	IN	16	3				
"///	##												
	<b>T</b>												


### 2-THREAD FLATLOCK, WIDE

For sewing stretchy fabrics together with a decorative effect either with the flatlock side or the ladder stitch side. Create varying effects by threading the loopers with decorative thread. Converter required.

鸛										
辯										
馨	G	А	2	N	N	N	Yes	S		•
<del>1888</del>										
***										
V										


# 2-THREAD WRAPPED OVERLOCK, WIDE

Decorative finish for garments and homedec. Converter required.



### 2-THREAD WRAPPED OVERLOCK, NARROW

Gives a beautiful finish to lightweight fabrics. Use transparent threads with this stitch to get an almost invisible edge, this gives a very beautiful look on finer fabrics. Converter required.



## 2-THREAD ROLLED EDGE

For edging lightweight fabrics. It gives a nice finish on silky scarves, pillow ruffles and napkins. Thread the looper with a decorative lightweight thread, such as 40 weight rayon for a beautiful satin edge. Converter required.

STITCH	FABRIC		AE CDE		<b>‡</b>	<b>1</b>	STITCH FINGER		S/C		00		
		中井		= +	<b>□</b> #/ /		TINGLK			Y	R	G	В
	辯												
	辯									•	•	•	1)
	書		C, D and E	N-4	_	N	R	No	C				
	₩	J	C, D a ld L	111-4	_	IN	IX.	INO	C	1) Fc	dlovi	naw l	due
	***									thre	ading	ıpath	in
	<b>A</b>									thel	ooper	area.	


## COVERSTITCH, TRIPLE

For hems on stretch fabrics and for decorative effects on all kind of fabrics. Use decorative thread in looper for embellishment.

	議 は は は は は は は は は は は は は は は は は は は	C and E	N-4	-	N	R	No	С	<sup>1)</sup> Fdlov thrædir theloop	rnavyk gpath er area.	due in
--	--	---------	-----	---	---	---	----	---	---	-----------------------------	--------


#### COVERSTITCH.WIDE

For hems on stretch fabrics and for decorative effects on all kind of fabrics. Use decorative thread in looper for embellishment.



### COVERSTITCH. NARROW

For hems on stretch fabrics and for decorative effects on all kind of fabrics. Use decorative thread in looper for embellishment.



#### CHAINSTITCH

For all types of sewing such as construction, hemming and piecing quilts. Baste with ease for construction as it is an easily unraveled stitch, and never run out of bobbin thread. Use decorative thread in looper for embellishment.